

INSPECCIÓN EVALUACIÓN — ADVANCED — COMBINES S-SERIES (OPTIONAL FORM)

2023 John Deere S780

Inventario: 232967

Serie: 1H0S780SVPT826409

Garantía desconocida

LOCALIDAD ALMACENAMIENTO

Wright Implement 1, LLC / 037913

HARDINSBURG, KY, 40143

Contacto:

FOTOS (0 Total)

RESUMEN

Estado general:
Comentarios
generales:
Horas:

								Costo estimado		
	EXCELENTE	BIEN	MEDIANO	RAZONABLE	MAL	N/A	Observaciones	Repuestos	Mano de obra	Total
Appearance								0	0	0
Tires								0	0	0
Control System								0	0	0
Feeder House Area								0	0	0
Feeder House Area--continued								0	0	0
Feed Accelerator (FAST)								0	0	0
Left-Hand Side								0	0	0
Left-Hand Side--continued								0	0	0
Right-Hand Side								0	0	0
Engine Compartment								0	0	0
Grain Tank Section								0	0	0
Cab Section								0	0	0
Cab Section--continued								0	0	0
Safety								0	0	0

APPEARANCE

								Costo estimado		
	NUEVO	BIEN	UTILIZABLE	REPARAR	REEMPLAZAR	N/D	Observaciones	Repuestos	Mano de obra	Total
Overall Appearance and Condition		X					Clean up and put away for winter			

TIRES

											Costo estimado		
	Tamaño del neumático	Especificaciones del neumático	% restante	NUEVO	BIEN	UTILIZABLE	REPARAR	REEMPLAZAR	N/D	Observaciones	Repuestos	Mano de obra	Total
Tire Size - Front Duals? X Si No					X								
Tire Percentage Remaining - Front													
Overall Tire Condition - Front					X					80% or better			
Tire Size - Rear					X								
Tire Percentage Remaining - Rear					X					80% or better			
Overall Tire Condition - Rear					X								

CONTROL SYSTEM

								Costo estimado		
	NUEVO	BIEN	UTILIZABLE	REPARAR	REEMPLAZAR	N/D	Observaciones	Repuestos	Mano de obra	Total
Fluid test kit - DKGA2019						X				

Stock Number: 232967

Model: S780Serial Number: 1H0S780SVPT826409

FEEDER HOUSE AREA

							Costo estimado			
	N U E V O	B I E N	U T I L I Z A B L E	R E P A R A R	R E E M P L A Z A R	N D	Observaciones	Repuestos	Mano de obra	Total
Safety Shields		X								
Feeder House Drive Chain, Sprockets, Idlers & Guides Chain - 3% Elongation		X								
Back Shaft Speed Sensor & Wiring Harness		X								
Slip Clutch		X								
Reverser/Header Drive Spline Shaft, Hoses, Couplers & Wiring		X								
Drum - Wear Ring, Bearings, Supports, Stops & Pins Wear ring is damaged or worn through		X								
Floor Sheet & Seal		X								
Feed Plate Worn through the hinges		X								
Stone Trap		X								
Feeder House Reverser Cooler		X								
Hydro Motor - Housing & Fittings		X								
Shoe Auger - Front Bearings & Bevel Gears Bevel Gears Backlash - 0.76mm		X								
Shoe Auger - Drive Shaft & Bearings		X								
Reverser Control Linkage & Cable		X								
Lift Cylinders, Hoses, Pins & Safety Stop		X								
Lift Cylinder Support & Pivots Pivots - Front bracket to back hole = 78mm + Bottom of bracket to bottom hole = 16mm less		X								
Transmission - Drive Shaft, Hoses & Couplers		X								

Stock Number: 232967

Model: S780 Serial Number: 1H0S780SVPT826409

FEEDER HOUSE AREA--CONTINUED

								Costo estimado		
	NU EVO	B I E N	U T I L I Z A B L E	R E P A R A R	R E E M P L A Z A R	N D	Observaciones	Repuestos	Mano de obra	Total
Oil Level and Condition		X								
Final Drives, Front Wheel(s) & Tire(s) Torque - 610 N.m (450 lb-ft) oiled		X								
Top Door Seal		X								
Conveyor Chain, Plastic Chain Guides & Eyebolts Chain Pitch - 41 mm / 3% elongation or set links removed & no adjustment left; Guides - When worn through; Chain Pitch - 43 mm			X							
Feeder House Pivots 8mm or greater replace casting; 8mm or less install vertron bushing and stops		X								
Top Shaft, Bearings, Sprockets & Stripper Plates Sprocket Worn to 12mm - can be reversed; Stripper Plates - 1/8 in from top shaft to stripper										
Reverser Gear Case - Operation, Oil Level/Change Change oil once a year - See OM for oil recommendations.										
Reverser Belt, Lower Variable Sheaves, Idler & Bearings Lower Variable Sheaves - 3mm at closed position										
Contour Master Cylinder & Hoses										
Check Slides										
Top Variable Drive, Sheaves & Bearings										
Hoses, Couplers & Wiring										
Check Frame for Cracks & Holes										
Feeder House Position Sensor & Wiring										
Shoe Auger, Speed Sensor & Wiring Harness Auger - Worn to 1mm, Sharp Edges or Damaged										
Check Multi-point harness and hoses										
Check singe-point connection, cartridges and pins										

FEED ACCELERATOR (FAST)

							Costo estimado		
	N U E V O	B I E N	U T I L I Z A B L E	R E P A R A R	R E M P L A Z A R	N D	Observaciones	Repuestos	Mano de obra Total
Feed Accelerator Drive Belt									
Feed Accelerator Tension Arm, Spring & Idler									
Feed Accelerator - Wings & Bearings									
Serrated Wear Strips 8mm thick 51mm height / After strips have been half worn & reversed, replace if height is shorter than original- All must be replaced at the same time									
Smooth Wear strips 8mm thick 51mm height / After strips have been half worn & reversed, replace if height is shorter than original - All must be replaced at the same time									
Back Swept Wear Strips 8mm thick / Leading edge wears to the point, reducing overall height dimension									
Plastic Dust Shroud Thin Spots or Holes									
Rotor Bearing, Speed Sensor & Wiring									
Tri-Flow Feed Ramp Worn through or damage									
Feed floor-Spike tooth (Rice) Worn through or damage									
Front Feed Flights 5 mm above rear flight support / Outer edge is worn down approx. 5 mm. Embossed part number on the top of the rear feed flight support will be worn off									
Rear Feed Flights 8 mm thick / When the casting number on the rear flight begins to wear off									

LEFT-HAND SIDE

							Costo estimado		
	N U E V O	B I E N	U T I L I Z A B L E	R E P A R A R	R E M P L A Z A R	N D	Observaciones	Repuestos	Mano de obra Total
Safety Shields									
Batteries - Cables, Connections & Fluid Level (S660,S670,S680 and S690)									
Electric Clutch & Brush Module									
Primary Countershaft 90 degree Gear Case									
Drive Shaft									
Drive Shaft: Engine to 90 degree Gear Case U-joints									
Front End Drive Belt Alignment/Wear									
Reel Pump & Bearings									
Reel Speed Valve & Actuator									
Cleaning Fan, Housing, Fins, Bearings, Speed Sensor & Wiring									
Cleaning Shoe Pitman Arms, Hangers, Bolts, Bearings & Bushings									
Clean Grain Auger Speed Sensor & Wiring Auger - Worn to 1mm, Sharp Edges or Damaged									

Model: S780 Serial Number: 1H0S780SVPT826409

LEFT-HAND SIDE--CONTINUED

Printed 14 Ene 2026 / Completed 17 Ene 2025

Model: S780 Serial Number: 1H0S780SVPT826409

RIGHT-HAND SIDE7

Model: S780 Serial Number: 1H0S780SVPT826409

Printed 14 Ene 2026 / Completed 17 Ene 2025 8

Model: S780 Serial Number: 1H0S780SVPT826409

ENGINE COMPARTMENT

Printed 14 Ene 2026 / Completed 17 Ene 2025

Stock Number: 232967

Model: S780Serial Number: 1H0S780SVPT826409

GRAIN TANK SECTION

							Costo estimado		
	NU EVO	BI EN	UT ILIZ ABLE	RE PARAR	RE EMPLA ZAR	N D	Observaciones	Repuestos	Mano de obra Total
Bin Extensions & Tank									
Check operation of folding covers if equipped									
Calibrate Unloading auger engagement (S680/S690)									
Grain Sample Trough									
Grain Tank Light, Level Switch & Wiring Auger - 4.5mm thick, 95mm height / Auger - Worn 1mm or to a sharp edge									
Grain Tank Loading Auger, Housing, Bearings, Driver, Top Sprockets & Clamps									
Clean Grain Elevator Top Shaft & Bearings									
Clean Grain Elevator Top Housing, Impact Plate, GreenStar Mass Flow Sensor									
Loading Auger Gear case Auger - (STD) 3.4mm thick (HD) 4.8mm thick 64mm height / Auger - worn 1mm or to a sharp edge									
Cross Augers, Top Covers & Floor									
Unload On-The-Go Baffle									
Unloading Auger Sump clean out (STD) 6mm thick (HD) 6.6mm thick 110 mm height / When worn to a sharp edge									
Vertical Auger & Housing									
90 degree Gear case 4.5mm thick 95mm height / Worn to 1mm or to a sharp edge									
Horizontal Auger & Housing									
Grain Saver Door & Boot									

Stock Number: 232967

Model: S780 Serial Number: 1H0S780SVPT826409

CAB SECTION

								Costo estimado		
	N U E V O	B I E N	U T I L I Z A B L E	R E P A R A R	R E E M P L A Z A R	N D	Observaciones	Repuestos	Mano de obra	Total
Cab Ladder										
Cab Roof										
Mirrors										
Cab Air Filters - Pre-Cleaner, Air Filter & Recirculating Filter										
CEB (Central Electronic Box) - Seals & Wiring										
Windshield Wiper Fluid Level										
Lights - All Outside Lights & Functions Dome Light, Warning Lights and Buzzers (Self Checks at Start Up)										
ClimaTrak - Defrost, Temp. Control, Fan Speed										
Radio & Speakers										
Windshield Wipers & Fluid Operation										
Sun Visor										
Steering Column										
Steering Column: Height Adjust & Tilt										
Steering Column: Horn										
Parking Brake										
Steering Brakes										
Reverser										
Transmission Shift Lever / ProDrive										
Refrigerator coil										
Greenstar Display - Use Pre- Harvest Greenstar Checklist										

Stock Number: 232967

Model: S780 Serial Number: 1H0S780SVPT826409

CAB SECTION--CONTINUED

								Costo estimado		
	NUEVO	BIEN	UTILIZABLE	REPARAR	REEMPLAZAR	ND	Observaciones	Repuestos	Mano de obra	Total
Corner post/Command Center										
VisionTrak Display / Command Center										
VisionTrak Display / Command Center: Calibrate										
VisionTrak Display: Seed size										
VisionTrak Display: Diagnostics - Error Codes, Back Button & Enter Button										
Active Header Control Display										
Console										
HydroHandle										
HydroHandle: Header Raise/Lower, Corn Header Back Shaft Speed, Reel Raise/Lower, Reel For/Aft										
HydroHandle: Unloading Auger Swing										
HydroHandle: Emergency Stop										
HydroHandle: Unloading Auger Engage										
HydroHandle: Neutral Safety Switch										
HydroHandle: Auto trac (S-Series)										
Header Engage										
Separator Engage										
Concave Adjust										
Chaffer/Sieve Adjust										
Chopper Speed Adjust										
Rotor Speed										
Cleaning Fan Speed										
Engine RPM's - Three buttons										
Power Strip										
Park Brake Switch										
Tranmission Speed Ranges										
Air Seat										

SAFETY

								Costo estimado		
	N U E V O	B I E N	U T I L I Z A B L E	R E P A R A R	R E M P L A Z A R	N D	Observaciones	Repuestos	Mano de obra	Total
Feederhouse saftety stop operational										
Lights - All Outside Lights & Functions Dome Light, Warning Lights and Buzzers (Self Checks at Start Up)										
Ladder Safety Chains in place										
Road Disconnect Switch										
Operator Presence Switch										
All Safety shields in place										
Safety decals in place and readable										
Back up alarm										
Fire Extinguisher charged and in correct location										
Seat Belts - Operator and Instructional Seat										